

# KD-Validated Anti-AAAS Mouse Monoclonal Antibody

*Mouse monoclonal antibody*

ABG2019

## Product Overview

Name	KD-Validated Anti-AAAS Mouse Monoclonal Antibody	
Catalog #	ABG2019	
Clonality	Monoclonal	
Accession(Primary)	Q9NRG9	
Application Note (Approx.)	WB1:5,000	FC1:1,000
Precautions		

## Target information(Q9NRG9)

Synonyms

Gene ID

Other Names


Function

Cellular location


Note



Western blotting analysis using anti-aladin WD repeat nucleoporin antibody (Cat#ABG2019). Total cell lysates (30 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-aladin WD repeat nucleoporin antibody (Cat#ABG2019, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody respectively.



Western blotting analysis using anti-aladin WD repeat nucleoporin antibody (Cat#ABG2019). Aladin WD repeat nucleoporin expression in wild type (WT) and aladin WD repeat nucleoporin (AAAS) shRNA knockdown (KD) HeLa cells with 20 µg of total cell lysates. Hsp90 serves as a loading control. The blot was incubated with anti-aladin WD repeat nucleoporin antibody (Cat#ABG2019, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody respectively.



Aladin WD repeat nucleoporin Alexa Fluor 488

Flow cytometric analysis of Aladin WD repeat nucleoporin expression in HAP-1 cells using anti-Aladin WD repeat nucleoporin antibody (Cat#ABG2019, 1:1,000). Green, isotype control; red, Aladin WD repeat nucleoporin.