

KD-Validated Anti-Adenylate kinase 4 Rabbit Monoclonal Antibody

Rabbit monoclonal antibody


ABG1496

Product Overview

| | |
|-----------------------------------|---|
| Name | KD-Validated Anti-Adenylate kinase 4 Rabbit Monoclonal Antibody |
| Catalog # | ABG1496 |
| Clonality | Monoclonal |
| Accession(Primary) | P27144 |
| Application Note (Approx.) | WB1:5,000 FC1:2,000 |
| Precautions | |

Target information(P27144)


Synonyms**Gene ID****Other Names****Function****Cellular location****Note**



Western blotting analysis using anti-Adenylate kinase 4 antibody (Cat#ABG1496). Total cell lysates (30 μ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Adenylate kinase 4 antibody (Cat#ABG1496, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Western blotting analysis using anti-Adenylate kinase 4 antibody (Cat#ABG1496). Adenylate kinase 4 expression in wild type (WT) and Adenylate kinase 4 shRNA knockdown (KD) HT-1080 cells with 30 μ g of total cell lysates. Hsp90 α serves as a loading control. The blot was incubated with anti-Adenylate kinase 4 antibody (Cat#ABG1496, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Flow cytometric analysis of Adenylate kinase 4 expression in HepG2 cells using Adenylate kinase 4 antibody (Cat#ABG1496, 1:2,000). Green, isotype control; red, Adenylate kinase 4.